

## Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. This Standard must be consulted for specific requirements.

## U.S. Department of Labor

Occupational Safety and Health Administration  
 (Non-Mandatory Form)  
 Form Approved  
 OMB No. 1218-0072

IDENTITY <i>(As Used on Label and List)</i> Klarity Cushion™ Moldable head and neck supports	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

### Section I

Manufacturer's Name Klarity Medical Products, LLC	Emergency Telephone Number 740-788-8107
Address <i>(Number, Street, City, State, and ZIP Code)</i> 600 Industrial Parkway	Telephone Number for Information 740-788-8107
Heath, OH 43056	Date Prepared July 14, 2020
	Signature of Preparer <i>(optional)</i>

### Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
A composite device comprised of an outer layer of Nylon material, a layer of Polyester Resin (polycaprolactone) and an inner volume of				
foamed polypropylene pellets Klarity Cushions contain no Latex rubber, and				
none of its components come in contact with Latex rubber during the manufacturing process.				

**Section III - Physical/Chemical Characteristics**

Boiling Point	NA	Specific Gravity (H <sub>2</sub> O = 1)	NA
Vapor Pressure (mm Hg.)	NA	Melting Point	140° F.
Vapor Density (AIR = 1)	NA	Evaporation Rate (Butyl Acetate = 1)	NA
Solubility in Water	Insoluble		
Appearance and Odor	a moldable pillow-like device, white or off-white in color, odor free		

**Section IV - Fire and Explosion Hazard Data**

Flash Point (Method Used)	NA	Flammable Limits	NA	LEL	NA	UEL	NA
Extinguishing Media	CO <sub>2</sub> , Foam						
Special Fire Fighting Procedures	Self-contained breathing apparatus should be worn when products of combustion are present.						
Unusual Fire and Explosion Hazards	This material has no unusual fire or explosion hazards.						

**Section V - Reactivity Data**

Stability	Unstable		Conditions to Avoid
	Stable X		NONE
Incompatibility ( <i>Materials to Avoid</i> )	NONE		
Hazardous Decomposition or Byproducts	By Fire: Carbon Monoxide and/or Carbon Dioxide		
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur X		NONE

**Section VI - Health Hazard Data**

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
Health Hazards ( <i>Acute and Chronic</i> ) No evidence of adverse health effects			
None established by ACGIH or OSHA			
Carcinogenicity: NO	NTP? NO	IARC Monographs? NO	OSHA Regulated? NO
Signs and Symptoms of Exposure			
NA			
Medical Conditions			
Generally Aggravated by Exposure NA			
Emergency and First Aid Procedures NA			

**Section VII - Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled
Repackage uncontaminated product
Waste Disposal Method
Bury in an approved landfill site in accordance with municipal, provincial/state and federal regulations.
Precautions to Be taken in Handling and Storing
NONE
Other Precautions
NONE

**Section VIII - Control Measures**

Respiratory Protection ( <i>Specify Type</i> )			NONE
Ventilation	NA	Local Exhaust	NA
		Mechanical ( <i>General</i> )	Other

Protective Gloves	NA	Eye Protection	NA
Other Protective Clothing or Equipment		NA	
Work/Hygienic Practices		NA	

**Section IX - Special Precautions**

Precautions to be taken in Handling and Storing	NA
Other Precautions	NA

Each MSDS must be reviewed for correctness and completeness every three years.

Reviewed by \_\_\_\_\_ Reviewed by \_\_\_\_\_

Revision date \_\_\_\_\_ Revision date \_\_\_\_\_