

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. This Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

<p>IDENTITY <i>(As Used on Label and List)</i> Klarity Vacuum Bag</p>	<p>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</p>
---	--

Section I

<p>Manufacturer's Name Klarity Medical Products</p>	<p>Emergency Telephone Number 740-788-8107</p>
<p>Address <i>(Number, Street, City, State, and ZIP Code)</i></p>	<p>Telephone Number for Information 740-788-8107</p>
<p>600 Industrial Pkwy Heath, Ohio 43055</p>	<p>Date Prepared November 14, 2014</p>
	<p>Signature of Preparer <i>(optional)</i></p>

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% <i>(optional)</i>
<p>Various sized sealed bag with contents being small Polystyrene spheres encased in a flexible bag made of polyurethane rubber coated with a thin nylon outside layer.</p>				
<p>Trio contains no Latex rubber, and does not come into contact with Latex rubber during manufacturing process.</p>				

Section III - Physical/Chemical Characteristics

Boiling Point	NA	Specific Gravity (H ₂ O = 1)	NA
Vapor Pressure (mm Hg.)	NA	Melting Point	Above 220 F
Vapor Density (AIR = 1)	NA	Evaporation Rate (Butyl Acetate = 1)	NA
Solubility in Water Insoluable			
Appearance and Odor Blue in color, odorless			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) NA	Flammable Limits NA	LEL	UEL
Extinguishing Media CO ₂ , Foam			
Special Fire Fighting Procedures Self-contained breathing apparatus should be worn when products of combustion are present.			
Unusual Fire and Explosion Hazards This material has no unusual fire or explosion hazards.			

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	None
Incompatibility (<i>Materials to Avoid</i>) None			
Hazardous Decomposition or Byproducts By fire: Carbon Monoxide and/or Carbon Dioxide			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	None

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
Health Hazards (<i>Acute and Chronic</i>) <small>No evidence of adverse effects None established by ACGIH or OSHA</small>			
Carcinogenicity: NO	NTP? NO	IARC Monographs? NO	OSHA Regulated? NO
Signs and Symptoms of Exposure <small>NA</small>			
Medical Conditions Generally Aggravated by Exposure <small>NA</small>			
Emergency and First Aid Procedures <small>NA</small>			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled <small>Repackage uncontaminated product</small>
Waste Disposal Method <small>Bury in an approved landfill site in accordance with municipal, provincial/state and federal regulations.</small>
Precautions to Be taken in Handling and Storing <small>None</small>
Other Precautions <small>None</small>

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>) None		
Ventilation NA	Local Exhaust NA	Special NA
	Mechanical (<i>General</i>) NA	Other

Protective Gloves NA	Eye Protection NA
Other Protective Clothing or Equipment NA	
Work/Hygienic Practices NA	

Section IX - Special Precautions

Precautions to be taken in Handling and Storing NA
Other Precautions

Each MSDS must be reviewed for correctness and completeness every three years.

Reviewed by Sherry Angus Reviewed by Sherry Angus

Revision date May 17, 2018 Revision date 01/05/2020 changed address